REPORT ON THE EFFECTIVENESS OF TREATMENT PROGRAMS FOR HEROIN AND OTHER OPIATES

(FY2014 Appropriation Bill - Public Act 59 of 2013)

May 15, 2014

Section 498: (1) The department shall use standard program evaluation measures to assess the effectiveness of heroin and other opiates treatment programs provided through coordinating agencies and service providers in reducing and preventing the incidence of substance use disorders. The measures established by the department shall be modeled after the program outcome measures and best practice guidelines for the treatment of heroin and other opiates as prescribed by the federal substance abuse and mental health services administration.

(2) By May 15 of the current fiscal year, the department shall provide a report to the house and senate appropriations subcommittees on community health, the house and senate fiscal agencies, and the state budget office on the effectiveness of treatment programs for heroin and other opiates.



BUREAU OF COMMUNITY-BASED SERVICES

APPROPRIATION ACT SECTION 498(2) REPORT

FISCAL YEAR 2013 ACTIVITIES

Scope


To examine the effectiveness in Michigan regarding Treatment Programs for Heroin and Other Opiates, the concept must be established that the publically funded Michigan substance use disorder (SUD) treatment and recovery system is designed to allow an entire network of funded providers to deliver services for persons with opiate dependence and abuse. A narrow focus on only methadone provision and medically assisted treatment (MAT) would overlook the majority of the settings where treatment for opiates occurs. To examine the overall effectiveness of treatment programs for heroin and other opiates, the full array of providers, along with those providing MAT, is included in this report.

Background

Treatment programs respond to emerging substance use, abuse, and dependence problems. For the past decade, opiate use, particularly opioid pain relievers (OPRs), and the need for opiate-involved treatment have grown at consistent yearly increments. This mirrors a corresponding growth in the number of prescriptions filled for OPRs.

From FY2004 to FY2013, the reported percentage of treatment admissions, supported in whole or in part with MDCH-administered funding, involving synthetic opiates had increased nearly 400%. The reported percentage of treatment admissions for heroin has nearly doubled (see Figure 1). These increases support the evaluation that "treatment

programs for heroin and other opiates must be expanded beyond methadone and MAT."



FY2013 Methadone (MAT) Program Admissions Methadone (MAT) Program Name - City - License Number FY13 Admits BIO-MEDICAL BEHAVIORAL HEALTHCARE - WATERFORD - 631295 302 CHERRY STREET SERVICES - GRAND RAPIDS - 410014 190 STAR CENTER INC - DETROIT - 821426 120 NARDIN PARK RECOVERY CENTER - DETROIT - 820198 147 NEW LIGHT RECOVERY CENTER INC - DETROIT - 821624 164 SACRED HEART REHABILITATION CENTER INC - FLINT - 250328 211 259 SACRED HEART REHABILITATION CENTER - MADISON HEIGHTS - 631337 BIO-MED BEHAVIORAL HEALTHCARE, PC - FLINT - 250369 187 BIO MED BEHAVIORAL HEALTH CARE INC - CLINTON TOWNSHIP - 500343 174 VICTORY CLINICAL SERVICES IV - SAGINAW - 730208 146 VICTORY CLINICAL SERVICES L.L.C. - KALAMAZOO - 390114 124 EAST SIDE SUBSTANCE ABUSE CLINIC - MUSKEGON HEIGHTS - 610030 114 UNIVERSITY PHYSICIANS GROUP - DETROIT - 821595 136 METRO EAST TREATMENT. CHALMERS CLINIC #3 - DETROIT - 821237 47 VICTORY CLINICAL SERVICES LANSING - LANSING - 330330 163 VICTORY CLINICAL SERVICES III LLC - JACKSON - 380098 56 MICHIGAN THERAPEUTIC CONSULTANTS, PC - MT. PLEASANT - 370057 65 SACRED HEART REHABILITATION CENTER INC - MEMPHIS - 500044 29 HARBORTOWN TREATMENT CENTER - BENTON HARBOR - 110093 43 YPSILANTI MEDICAL AND DRUG REHABILITATION - YPSILANTI - 810353 18 WJ SEARCEY CENTER - TAYLOR - 823074 55 Total 2,760

Figure 2

In FY2013, 22,373 Michigan residents who were admitted to publically funded treatment programs reported opiates (heroin, other opiates, or illicit methadone) as their primary substance of abuse. Of these, 2,760 (12.3%) began methadone maintenance at one of 21 methadone providers (see Figure 2), and 3,655 (16.3%) received buprenorphine (Suboxone, Subutex). Of those, 1,019 (4.6%) received the buprenorphine. The majority of persons with opiate dependence or abuse were treated in drug-free outpatient and residential settings.

In fact, in FY2013, there were

235 providers statewide with at least four persons admitted for opiates and 41 of these had at least 100 admissions (see Figure 3). This suggests that the entire provider network must have the ability to function as heroin and other opiate treatment programs. As noted, the scope of this network of licensed and accredited providers exceeds the sub-set of MAT providers. As a result, the outcome measures in this report will include all providers who

Treatment Providers who Admitted at Least 100 Persons for Heroin or Other Opiates during FY2013 (Excludes MAT)

Program Name - City - License Number	FY13 Admits	Program Name - City - License Number	FY13 Admits						
QUALITY BEHAVIORAL HEALTH INC - DETROIT - 822273	926	CATHOLIC HUMAN SERVICES INC - ALPENA - 40002	182						
HEGIRA PROGRAMS INC, AKA OAKDALE RECOVERY CENTER - CANTON - 820242	840	GREAT LAKES RECOVERY CENTER INC, NEW HOPE - SAULT STE MARIE - 170028	168						
SELF HELP ADDICTION REHABILITATION, SHAR - DETROIT - 820174	522	DOT CARING CENTERS INC - SAGINAW - 730038	125						
JIM GILMORE JR COMMUNITY HEALING CENTER - KALAMAZOO - 390160	500	THE GUIDANCE CENTER - SOUTHGATE - 820051	155						
THE SALVATION ARMY TURNING POINT PROGRAMS - GRAND RAPIDS - 410004	477	PERSONALIZED NURSING LIGHT HOUSE INC - PLYMOUTH - 821032	161						
DOT CARING CTRS INC - FREELAND - 730098	467	THE RECOVERY CENTER - LANSING - 330337	157						
NEW PATHS - HAMILTON - 250374	561	EASTWOOD CLINICS - CLINTON TOWNSHIP - 500060	145						
COMMUNITY PROGRAMS INC - WATERFORD - 631281	262	SACRED HEART REHABILITATION CENTER -FLINT - 250328	158						
CHRISTIAN GUIDANCE CENTER - HIGHLAND PARK - 820317	157	DAWN FARM DETOX - YPILANTI - 810221	131						
ADDICTION TREATMENT SERVICES INC - TRAVERSE CITY - 280010	306	ARBOR CIRCLE COUNSELING CENTER - GRAND RAPIDS - 410249	174						
COMMUNITY PROGRAMS INC - WATERFORD - 630677	379	THE SALVATION ARMY HARBOR LIGHT SYSTEM - DETROIT - 820103	118						
ALLEGIANCE ADDICTION RECOVERY CENTER - JACKSON - 380005	320	EASTWOOD CLINICS – CLINTON TWP - 500060	118						
TEN SIXTEEN RECOVERY NETWORK - MT PLEASANT - 370048	295	CATHOLIC HUMAN SERVICES INC – GAYLORD - 690008	108						
TURNING POINT RECOVERY CENTER - PONTIAC - 630622	148	SUNRISE CENTRE INC - ALPENA - 40013	132						
PERSONALIZED NURSING LIGHT HOUSE INC -CANTON - 823088	242	BEGINNING STEP-DETROIT - 822965	116						
SACRED HEART REHABILITATION CENTER INC - WARREN - 500307	197	I.M.P.A.C.T. THE CENTER FOR HUMAN RESOURCES - PORT HURON - 740104	105						
TEN SIXTEEN RECOVERY NETWORK - MIDLAND - 560008	122	PSYCHOLOGICAL CONSULTANTS OF MICHIGAN - BATTLE CREEK - 130014	123						
CATHOLIC CHARITIES OF SHIAWASSEE and GENESEE - FLINT - 250095	199	THE HOME OF NEW VISION - ANN ARBOR - 810265	109						
EASTWOOD CLINICS - ROYAL OAK - 630311	218	CATHOLIC HUMAN SERVICES INC – CADILLAC - 830004	102						
CYS, CLINTON COUNSELING CENTER - MT CLEMENS - 500017	189								
Figure 3									

treat opiate dependence/abuse, with specific emphasis on methadone providers. Both of these programs will be compared to the overall treatment population for each selected measure.

Medically Assisted Treatment (MAT)

Opiate-dependent persons typically have a range of medical, psychological, economic, legal, and social problems. Studies by Rounsaville et al. (1982), Khantzian and Treece (1985) and Woody et al. (1983) documented the high proportion of psychiatric diagnoses seen in opiate-dependent persons. Ball and Nurco (1983), among others, have shown higher rates of individual and property crime among opiate-dependent persons. Metzger and Platt (1988) have shown the problems of unemployment and deficits in job-seeking skills among a significant proportion of this population. Studies by Stanton and his colleagues (Stantan, 1979; Stanton et al., 1992) documented the serious family and relationship problems found in opiate-dependent persons. Finally, the problems of AIDS, hepatitis, tuberculosis, and other infectious diseases are widely documented among persons with opiate-dependence, particularly the persons who inject drugs.

It is important to note that these problems, rather than opiate use itself, are the major sources of concern to communities. These associated problems are not only a direct drain on local, state, and federal public health budgets, but are, in turn, associated indirectly with the quality of life for affected local communities. MAT can be seen as a service to the opiate-dependent affected individual because it reduces his/her withdrawal symptoms and cravings for opiates. The extent, however, that it is effective in reducing the social harm caused by these associated problems can be considered a public health benefit to society (similar to education and vaccination programs). The potential benefits to the public stem from reductions in the associated problems of crime, loss of productivity, and disproportionate use of medical and social services—and not from reductions in the use of opiates per se.

Three conclusions flow from existing research on the rehabilitative goals of MAT. First, the available national data indicate that opiate-dependent persons at the time of treatment admission typically show a wide range of serious health and social problems in addition to their primary problem of opiate dependence.

Second, data from three decades of controlled clinical trials and field research indicate that opiate-dependent persons show improvement in, if not elimination of, their opiate addiction with the provision of adequate doses of methadone. This improvement, in turn, tends to result in reductions in opiate-related crime and in the direct effects of opiate use such as needle sharing (e.g., in transmission of infectious diseases).

Third, improvements in the important social and self-support areas are at least in part related to the types and amounts of counseling and other professional medical and social services provided during treatment. There is little evidence that, at least at the initiation of MAT, the provision of methadone *by itself* can lead to reductions in other important problem areas of non-opiate drug use, such as alcohol dependence, unemployment, psychiatric problems, and disproportionate use of health care services. Data from the past ten years have shown that counseling and particularly professional health care and social

services can significantly enhance the direct effects of MAT in achieving reductions in opiate use and are essential to achieving the important goals of social rehabilitation for persons with opiate dependence.

One important point to consider is how the length of time a person receives MAT affects outcomes and mortality. A study by Cornish, et al. (2010) looked at how long a person has to be treated (with either methadone or buprenorphine) until there is a statistically significant likelihood that the treatment reduced their mortality risk. Cornish found that persons did not have a significant reduction in mortality until they had been on medication for 30 weeks, and the maximum benefit was not noted until 60-70 weeks or longer. This indicates that lengths of stay over one year are an expectation for effective MAT.

Heroin and Other Opiate Treatment

In FY2013, 6,449 persons received opiate-involved residential (sub-acute) detoxification services. Buprenorphine was involved in 2,189 (33.9%) of those cases. Of these, 4,959 moved immediately from detox to another level of care (i.e. residential, outpatient, case management).

All persons who receive SUD treatment and recovery services are required to develop individualized treatment plans with individualized goals. MDCH does not endorse a standard "program" but rather a coordinated and mutually agreed upon plan that is customized to the particular needs of each individual. Providers must be equipped to handle diverse populations and must be able to treat a wide range of primary, secondary, and/or tertiary drug dependence and abuse, and they must do this in both group and individual settings.

Selected Measures

All persons receiving treatment have their use and demographic information collected at the start of treatment (admission) and at its termination (discharge) via a Treatment Episode Data Set (TEDS) record. MDCH calculates the following seven outcome measures utilizing TEDS matched admission and discharge records:

- 1) Treatment Duration and Continuation in Outpatient Services
- 2) Use/Abstinence of Primary Substance
- 3) Change in Employment Status
- 4) Change in Living Situation (Homelessness)
- 5) Arrest History
- 6) Social Support/Self Help Group Attendance
- 7) Completion of Treatment Plan Goals and Objectives

For each of these measures, three populations were examined for persons who were discharged during FY2013 (October 1, 2012, through September 30, 2013) using TEDS data: 1) the entire treatment population; 2) the population of persons with opiates as their primary drug, and; 3) the populations of person with MAT as part of treatment.

1) Treatment Duration and Continuation in Outpatient Services

Treatment duration is a measure of the number of days from the first date to the last date of a billable service. Treatment continuation is the percentage of persons who receive a minimum of 3 treatment sessions and 45 days of duration.

Treatment	Median	Continued	Total	Continuation
Population Group	Length of Stay	Services	Clients	Rate
All Persons	71 days	18,693	29,561	63.2%
Opiate-Involved	50 days	2,645	5,041	52.5%
MAT	179 days	2,193	2,826	77.6%

2) Use/Abstinence of Primary Substance

Use/Abstinence is a measure of the percentage of persons who report no use of their primary substance (PS) with 30 days of their last date of service.

Treatment		Discharge	
Population Group	PS No Use	Total	Use Rate
All Persons	39,583	54,237	73.0%
Opiate-Involved	14,852	20,099	73.9%
MAT	1,306	2,828	46.2%

3) Change in Employment Status

Change in employment status is a measure of the change in the percentage of persons reporting either full or part time employment from admission to discharge.

Treatment		A	Admission		Discharge			Percent Change		Change
Population Group		Employed	Total	Rate	Employed	Total	Rate		Percent	Change
All Persons		7,796	54,237	15.9%	9,500	54,237	19.5%		22.6%	increase
Opiate-Involved		1,755	20,099	9.7%	2,114	20,099	12.0%		23.7%	increase
MAT		344	2,826	12.2%	437	2,826	15.5%		27.0%	increase

4) Change in Living Situation (Homelessness)

Change in living situation is a measure of the change in the percentage of persons reporting being homeless from admission to discharge.

Treatment	A	Admission			ischarge	Percent Change		
Population Group	Homeless	Total	Rate	Homeless	Total	Rate	Percent	Change
All Persons	6,829	54,237	12.6%	5,277	54,237	9.7%	-23.0%	decrease
Opiate-Involved	2,158	20,099	13.2%	1,533	20,099	10.5%	-20.5%	decrease
MAT	139	2,826	4.9%	119	2,826	4.2%	-14.3%	decrease

5) Arrest History

Arrest history is a measure that compares the change in the percentage of persons arrested within 30 days prior to admission to those arrested while in treatment. The MAT population can sometimes show less positive outcomes for measures like arrests,

because the cases are open for longer durations (making it more likely an arrest will occur during treatment); this can be a function of measurement rather than of performance.

Treatment		P	Admission		Discharge			Percent Change	
Population Group		Arrests	Total	Rate	Arrests	Total	Rate	Percent	Change
All Persons		4,458	54,237	8.1%	2,723	54,237	5.0%	-38.3%	decrease
Opiate-Involved		1,230	20,099	6.1%	793	20,099	3.9%	-36.1%	decrease
MAT		135	2,826	4.8%	206	2,808	7.3%	52.1%	increase

6) Social Supports (Attendance at Self-Help Groups)

Social support is a measure of the percentage of persons reporting attendance at self-help groups (i.e. AA, NA - Alcoholic and Narcotic Anonymous) at the time of discharge.

		Discharge							
Treatment Population Group	Social Supports	Total	Rate						
All Persons	21,426	54,237	39.6%						
Opiate-Involved	8,653	20,099	43.1%						
MAT	216	2,808	7.8%						

7) Completion of Treatment Goals and Objectives

Completion of treatment plan goals and objectives is a measure that examines the percentage of reasons for discharge that are reported as "completed."

		Discharge								
Treatment Population Group	Completed Treatment	Total	Rate							
All Persons	28,639	54,237	52.8%							
Opiate-Involved	10,330	20,099	51.4%							
MAT	616	2,826	21.8%							


Summary of Measures

For these selected outcome measures, the differences between the overall treatment population and those with opiate dependence and abuse are minimal. For those served in a drug-free setting, the outcomes are similar to those who present with other primary substances of abuse (alcohol, marijuana, cocaine). In all these instances, reported abstinence increased, more persons report full or part time employment and less reported being homeless. There are fewer reported arrests and higher attendance at self-help groups. Both these populations reported completion of their treatment objectives at over 50%. In general, drug free treatment of heroin and other opiates results in similar, positive short-term outcomes.

There are differences with the MAT population. One key factor is evident in the lengths of stay. The median length of stay for MAT is over two and a half times longer for person with opiate dependence or abuse (216 days vs. 84 days). One result is that this longer duration means that arrests have a higher probability that they will occur while the person

is in treatment. This may account for the lone measure (arrest history for MAT) where the direction of aggregate, individual progress from admission to discharge is negative (increase in persons with an arrest).

One other noteworthy observation for the MAT population is the lower percentage 46.2% vs. 73%) of persons reporting abstinence at discharge. The majority of these cases involve persons leaving against staff advice, many instances after 180+ days in MAT. In fact, that points towards an important nuance in evaluating the effectiveness of MAT. The lengths of stay are much longer, and that leads to increased stability for families and communities. Some of the final outcomes, like the completion rates, end up comparatively lower than the rates for services of shorter duration. The lack of a reported completion does not indicate that the treatment was not useful or effective.



These outcome measures, based on the National Outcome Measures (NOMS) (see Figure 4), may not be the most appropriate for evaluating MAT. One of the measures that MDCH may be able to explore in the future, working with physical health data, is the reduced burden on medical services, like non-essential emergency room (ER) visits, that may result. Improved integration of disparate databases may allow for the development of more relevant process and outcome measures. These types of measures would more fully ascertain the impacts of MAT on other service systems.